ARTIFACT SHEET

Enter artifact number below. Artifact number is application number + artifact type code (see list below) + sequential letter (A, B, C.). The first artifact folder for an artifact type receives the letter A, the second B, etc Examples: 59123456PA, 59123456PB, 59123456ZA, 59123456ZB Indicate quantity of a single type of artifact received but not scanned. Create individual artifact folder/box and artifact number for each Artifact Type.
CD(s) containing: computer program listing Doc Code: Computer pages of specification and/or sequence listing and/or table Doc Code: Artifact Content unspecified or combined Doc Code: Artifact Artifact Type Code: U
Stapled Set(s) Color Documents or B/W Photographs Doc Code: Artifact Type Code: C
Microfilm(s) Doc Code: Artifact Type Code: F
Video tape(s) Doc Code: Artifact Type Code: V
Model(s) Doc Code: Artifact Type Code: M
Bound Document(s) Doc Code: Artifact Type Code: B
Confidential Information Disclosure Statement or Other Documents marked Proprietary, Trade Secrets, Subject to Protective Order, Material Submitted under MPEP 724.02, etc. Doc Code: Artifact Artifact Type Code X
Other, description: Doc Code: Artifact Type Code: Z

March 8, 2004



The United States of America



Has received an application for a patent for a new and useful invention. The title and description of the invention are enclosed. The requirements of law have been complied with, and it has been determined that a patent on the invention shall be granted under the law.

Therefore, this

United States Patent

Grants to the person or persons having title to this patent the right to exclude others from making, using or selling the invention throughout the United States of America for the term of seventeen years from the date of this patent, subject to the payment of maintenance fees as provided by law.

Buce Tehman

Commissioner of Patents and Trademarks

Nove My



United States Patent [19]

Verner et al.

Patent Number:

5,472,018

[45] Date of Patent: Dec. 5, 1995

[)4]	MACHINE WITH DISPLACEMENT TYPE AIR FLOW STREAM

[75]	Inventors:	Pavel Verner, Zurich; Walter Bollier,	
		Adliswil, both of Switzerland	

[73]	Assignee:	Luwa AG.	Zurich	Switzerland

[21] Appl	. No.:
-----------	--------

50,432

[22] PCT Filed:

Sep. 22, 1992

[86] PCT No.:

PCT/CH92/00193

§ 371 Date:

Aug. 18, 1993

§ 102(e) Date: Aug. 18, 1993

[87] PCT Pub. No.: WO93/06281

PCT Pub. Date: Apr. 1, 1993

[30] Foreign Application Priority Data

зер.	23, 1991	(CH)	Switzerland		02815/91
[51]	Int. Cl.6	_		, -	

[51]	Int. Cl.6	,		
	mi. Ci.		DOST	1/00

[52] U.S. Cl. 139/1 C; 57/308; 19/66 CC; 15/301; 165/47; 34/435

Field of Search 454/187; 138/1 C;

57/308; 19/66 R, 66 CC; 15/301; 165/47, 53, 62/63, 322, 426, 34/20, 13, 154, 435

[56]

References Cited

U.S. PATENT DOCUMENTS

3,371,320	7/1900	Schupp
3,667,133 3,816,987	6/1972 6/1974	Lincoln

4,112,663		Chrtek et al 57/308
4,196,544	4/1980	Davis et al
4,570,682	2/1986	Bachmann 139/1 C
4,976,098	12/1990	Meyer et al 57/200
5,121,522	6/1992	Leifeld et al
5,144,781	9/1992	Fitzner
5,157,910		Artzt et al
-,,,,,,	10/1772	ALIZE EL MI 57/308

FOREIGN PATENT DOCUMENTS

0137056	4/1985	European Pat. Off
1486241	7/10/7	E Promi rut. Off. ,
		France .
2203900	7/1072	Germany .
2203700	111713	Germany.
4123451	1/1003	Germany 57/308
212121	1/1//3	Germany 57/308
2131936	6/1984	United Kingdom 62/63

OTHER PUBLICATIONS

Dr.-Ing. Helmut Weinsdorfer, Ulrich Stark Webmaschinenentstaubung und Webmaschinenklimatisierung-ein Widerspruch? 6. Weberei-Kolloquium—Die Peripherie beeinfusst den Nutzeffekt-16.und 17. Oktober 1990.

Internationales Textil-Bulletin Weltausgabe Weberei No. 1, 1973, pp. 54-59 Geb. Sulzer A.G. "Einzelklimatisierung an Sulzerwebmachinen".

Primary Examiner-Andy Falik

Attorney, Agent, or Firm-Cushman, Darby & Cushman

[57]

ABSTRACT

A process for the air conditioning of a weaving machine includes generating, for the weaving machine, at least one conditioning air stream spaced from a warp of the weaving machine and directed towards the warp, and distributing the conditioning air stream in stages so as to form a downwardly directed displacement-type flow towards threads of the warp. The displacement-type flow is a non-turbulent, uniform flow over a cross-sectional profile of the flow.

19 Claims, 2 Drawing Sheets

